

Catalogue

# WOW!

## World of Weller®





Soldering Tips: see page 93 / 94

Order No.	Model	Description
005 32 152 99	FE 50M	FE Soldering iron 50 W / 24 V
consists of:		
	FE 50M	FE Soldering iron 50 W / 24 V Magnastat controlled controlled with soldering tip PT B7 2,4 mm
005 50 050 99		Funnel for KH 20
005 25 409 99		Cleaning brush for FE tube



Order No.	Model	Description
005 29 187 99	LR 21	Soldering Set 50 W, 24 V
Consists of:		
005 25 106 99	LR 21	Soldering iron 50 W, 24 V with soldering tip ET B
005 15 152 99	WDH 30	Safety rest

PERFORMANCE



Order No.	Model	Description
005 29 188 99	LR 82	Soldering set 80 W, 24 V
Electronically temperature controlled soldering iron for high mass soldering.		
consists of:		
005 26 152 99	LR 82	Soldering iron 80 W, 24 V with soldering tip HT 2
005 15 152 99	WDH 30	Safety rest

PERFORMANCE



NT Soldering tips: see page 86

Order No.	Model	Description
005 33 159 99	WMPT	Soldering set 65 W, 24 V
Safety rest with Stop+Go function and integrated dry cleaner only for digital soldering stations		
consists of:		
WMP	WMP	Micro Soldering Iron 65 W, 24 V with soldering tip NT 1
005 15 162 99	WDH 20T	Safety rest with Stop+Go function and dry cleaner WDC 2

# Soldering Tips

## HT Soldering Tip Series



### Soldering Tips for Soldering irons LR 82 and FE 80

Order-no.	Model	Description	Width A	Thickness B	
T005 44 260 99	<b>HT 1</b>	Chisel tip	3,2 mm	1,0 mm	
T005 44 261 99	<b>HT 2</b>	Chisel tip	5,2 mm	1,2 mm	
T005 44 262 99	<b>HT 3</b>	Chisel tip	7,0 mm	1,2 mm	
T005 44 267 99	<b>HT C</b>	Chisel tip long	3,2 mm	1,0 mm	
T005 44 268 99	<b>HT D</b>	Chisel tip long	4,6 mm	1,0 mm	
T005 44 269 99	<b>HT E</b>	Chisel tip long	5,6 mm	1,0 mm	
T005 44 264 99	<b>HT BS</b>	Round tip	Ø 2,4 mm		
T005 44 265 99	<b>HT CS</b>	Round tip	Ø 3,2 mm		
T005 44 266 99	<b>HT DS</b>	Round tip	Ø 5,0 mm		
T005 44 270 99		HT Screw in tip with outside thread M8nde			
T005 44 263 99		HT Measuring tip for thermoelement Ø 0,5 mm			
T005 26 202 99		Barrel			

## WTA Soldering Tip Series

### Spitzensets for WTA 50



Order-no.	Model	Description	Width A	Thickness B	
T005 44 145 99	<b>WTA 1S</b>	Tip set bent 45°	0,5 mm	0,5 mm	
T005 44 141 99	<b>WTA 1</b>	Tip set bent 45°	1,0 mm	0,5 mm	
T005 44 146 99	<b>WTA 2</b>	Tip set bent 45°	3,0 mm	0,5 mm	
T005 44 147 99	<b>WTA 3</b>	Tip set bent 45°	6,0 mm	0,5 mm	
T005 44 143 99	<b>WTA 4</b>	Tip set bent 45°	12,5 mm	0,5 mm	
T005 44 144 99	<b>WTA 5</b>	Tip set bent 45°	18,5 mm	0,5 mm	
T005 44 152 99	<b>WTA 11</b>	Tip set for vertikalen Einsatz	1,0 mm	0,5 mm	
T005 44 153 99	<b>WTA 12</b>	Tip set for vertikalen Einsatz	3,0 mm	0,5 mm	
T005 44 149 99		WT Measuring tip for thermoelement Ø 0,5 mm			